


The Town of Rindge

Is Requesting Proposals

The Town of Rindge is seeking proposals for roof work at the Police Station, 158 Main Street. Contractor shall replace asphalt roof shingles with 30 yr. architectural shingles (slate or grey); replace roll roof low pitch sections with EDPM rubber roofing; re-flash chimney; and install ice and water shield a min. of 6' from soffit edge and 3' through all valley and low roof connections. Site visits can be arranged with the DPW Director, Michael Cloutier at 899-2105.

Proposals are due at the Town Office, 30 Payson Hill Road, by 1:00 p.m. on December 7, 2011. Project will be awarded at Selectmen's meeting that night, and work must be completed by December 31, 2011.



TOTAL SQ FT.	2300 SQ FT
EDPM RUBBER	540 SQ FT
ARCH SINGLE	1752 SQ FT

180 SQ FT

16'-0"

112 SQ FT

624 SQ FT

936 SQ FT

40 SQ FT

40 SQ FT

24'-0"

360 SQ FT

15'-0"

15'-0"

12'-0"

18'-0"

7'-0"

6'-0"

POLICE DEPT ROOF
SQ FOOT ROOF MEASUREMENTS
ALUMINUM VENTED DRIP EDGE

NEW AREA LOCATION

NEW AREA LOCATION

RIDGE LINE (CORNER)

ARCHITECTURAL SINGLE

EDPM RUBBER ROOF

ARCHITECTURAL SINGLE

VALLEY LINE

LINE OF JOINT WATER SHIELD